

Prince Georges County, Maryland  
Table A.--Acreage and Proportionate Extent of the Soils

Print date: 09/04/2002

Map symbol	Soil name	Acres	Percent
AdA	Adelphia fine sandy loam, 0 to 2 percent slopes-----	1,942	0.6
AdB2	Adelphia fine sandy loam, 2 to 5 percent slopes, moderately eroded-----	2,110	0.7
AdC2	Adelphia fine sandy loam, 5 to 10 percent slopes, moderately eroded-----	167	*
AhA	Adelphia silt loam, 0 to 2 percent slopes-----	616	0.2
AhB2	Adelphia silt loam, 2 to 5 percent slopes, moderately eroded-----	271	*
AuB2	Aura gravelly loam, 2 to 6 percent slopes, moderately eroded-----	219	*
AuC2	Aura gravelly loam, 6 to 12 percent slopes, moderately eroded-----	696	0.2
AuC3	Aura gravelly loam, 6 to 12 percent slopes, severely eroded-----	525	0.2
AuD	Aura gravelly loam, 12 to 20 percent slopes-----	1,796	0.6
AvE	Aura and croom gravelly loams, 20 to 50 percent slopes-----	9,279	2.9
BeA	Beltsville fine sandy loam, 0 to 2 percent slopes-----	321	0.1
BeB2	Beltsville fine sandy loam, 2 to 5 percent slopes, moderately eroded-----	1,832	0.6
BeC2	Beltsville fine sandy loam, 5 to 10 percent slopes, moderately eroded-----	691	0.2
BlA	Beltsville silt loam, 0 to 2 percent slopes-----	5,178	1.6
BlB2	Beltsville silt loam, 2 to 5 percent slopes, moderately eroded-----	17,463	5.5
BlC2	Beltsville silt loam, 5 to 10 percent slopes, moderately eroded-----	1,811	0.6
BlC3	Beltsville silt loam, 5 to 10 percent slopes, severely eroded-----	975	0.3
BlD3	Beltsville silt loam, 10 to 15 percent slopes, severely eroded-----	440	0.1
BmB	Beltsville-urban land complex, 0 to 5 percent slopes-----	3,867	1.2
BmC	Beltsville-urban land complex, 5 to 15 percent slopes-----	366	0.1
Bn	Bibb sandy loam-----	1,910	0.6
Bo	Bibb silt loam-----	17,300	5.4
Br	Bibb-urban land complex-----	739	0.2
BtB2	Butlertown silt loam, 0 to 5 percent slopes, moderately eroded-----	263	*
CaB2	Chillum silt loam, 0 to 6 percent slopes, moderately eroded-----	1,785	0.6
CaC2	Chillum silt loam, 6 to 12 percent slopes, moderately eroded-----	911	0.3
CaC3	Chillum silt loam, 6 to 12 percent slopes, severely eroded-----	495	0.2
CaD2	Chillum silt loam, 12 to 20 percent slopes, moderately eroded-----	456	0.1
CbB	Chillum-urban land complex, 0 to 6 percent slopes-----	360	0.1
CbC	Chillum-urban land complex, 6 to 12 percent slopes-----	198	*
CbE	Chillum-urban land complex, 12 to 35 percent slopes-----	180	*
CcC3	Christiana clay, 5 to 10 percent slopes, severely eroded-----	604	0.2
CcD3	Christiana clay, 10 to 15 percent slopes, severely eroded-----	263	*
CcE3	Christiana clay, 15 to 35 percent slopes, severely eroded-----	246	*
CdA	Christiana fine sandy loam, 0 to 2 percent slopes-----	133	*
CdB2	Christiana fine sandy loam, 2 to 5 percent slopes, moderately eroded-----	911	0.3
CdC2	Christiana fine sandy loam, 5 to 10 percent slopes, moderately eroded-----	1,255	0.4
CdD2	Christiana fine sandy loam, 10 to 15 percent slopes, moderately eroded---	546	0.2
CeA	Christiana silt loam, 0 to 2 percent slopes-----	224	*
CeB2	Christiana silt loam, 2 to 5 percent slopes, moderately eroded-----	2,047	0.6
CeC2	Christiana silt loam 5 to 10 percent slopes moderately eroded-----	1,458	0.5
CeD2	Christiana silt loam, 10 to 25 percent slopes, moderately eroded-----	459	0.1
CfB	Christiana-urban land complex, 0 to 5 percent slopes-----	1,316	0.4
CfC	Christiana-urban land complex, 5 to 15 percent slopes-----	2,318	0.7
CfE	Christiana-urban land complex, 15 to 40 percent slopes-----	300	*
Cg	Clay pits-----	178	*
Ch	Codorus silt loam-----	1,528	0.5
Ck	Codorus-urban land complex-----	526	0.2
Cl	Colemantown loam-----	235	*
CmA	Collington fine sandy loam, 0 to 2 percent slopes-----	2,935	0.9
CmB2	Collington fine sandy loam, 2 to 5 percent slopes, moderately eroded-----	10,088	3.2
CmC2	Collington fine sandy loam, 5 to 10 percent slopes, moderately eroded---	4,406	1.4
CmC3	Collington fine sandy loam, 5 to 10 percent slopes, severely eroded-----	3,245	1.0
CmD2	Collington fine sandy loam, 10 to 15 percent slopes, moderately eroded---	1,965	0.6
CmD3	Collington fine sandy loam, 10 to 15 percent slopes, severely eroded-----	2,400	0.8
CmE2	Collington fine sandy loam, 15 to 40 percent slopes, moderately eroded---	2,656	0.8
CmE3	Collington fine sandy loam, 15 to 30 percent slopes, severely eroded-----	1,621	0.5
CnB2	Collington loamy fine sand, 0 to 5 percent slopes, moderately eroded-----	511	0.2
CnC2	Collington loamy fine sand, 5 to 10 percent slopes, moderately eroded-----	283	*
CnD2	Collington loamy fine sand, 10 to 15 percent slopes, moderately eroded---	157	*
CoA	Collington silt loam, 0 to 2 percent slopes-----	126	*
CoB2	Collington silt loam, 2 to 5 percent slopes, moderately eroded-----	316	*

See footnote at end of table.

Table A.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol	Soil name	Acres	Percent
CoC3	Collington silt loam, 5 to 10 percent slopes, severely eroded-----	178	*
CpB	Collington-urban land complex, 0 to 5 percent slopes-----	893	0.3
CpC	Collington-urban land complex, 5 to 15 percent slopes-----	809	0.3
Cr	Comus silt loam-----	230	*
CsB2	Croom gravelly loam, 3 to 8 percent slopes moderately eroded-----	627	0.2
CsC2	Croom gravelly loam, 8 to 15 percent slopes, moderately eroded-----	646	0.2
CsC3	Croom gravelly loam, 8 to 15 percent slopes, severely eroded-----	828	0.3
CtB2	Croom gravelly sandy loam, 3 to 8 percent slopes, moderately eroded-----	916	0.3
CtC2	Croom gravelly sandy loam, 8 to 15 percent slopes, moderately eroded-----	935	0.3
CtC3	Croom gravelly sandy loam, 8 to 15 percent slopes, severely eroded-----	1,065	0.3
CtD2	Croom gravelly sandy loam, 15 to 25 percent slopes, moderately eroded-----	1,655	0.5
CuB	Croom-urban land complex, 0 to 8 percent slopes-----	396	0.1
CuC	Croom-urban land complex, 8 to 15 percent slopes-----	615	0.2
CuE	Croom-urban land complex, 15 to 35 percent slopes-----	975	0.3
DoA	Donlonton fine sandy loam, 0 to 2 percent slopes-----	239	*
DoB2	Donlonton fine sandy loam, 2 to 5 percent slopes, moderately eroded-----	370	0.1
Ek	Elkton silt loam-----	336	0.1
ElB	Elkton fine sandy loam, thick surface, 0 to 5 percent slopes-----	139	*
EmA	Elsinboro loam, 0 to 2 percent slopes-----	141	*
EmB2	Elsinboro loam, 2 to 5 percent slopes moderately eroded-----	155	*
EnA	Elsinboro sandy loam, 0 to 2 percent slopes-----	414	0.1
EnB2	Elsinboro sandy loam, 2 to 5 percent slopes, moderately eroded-----	226	*
EnC2	Elsinboro sandy loam, 5 to 10 percent slopes, moderately eroded-----	174	*
EuB	Elsinboro-urban land complex, 0 to 5 percent slopes-----	538	0.2
Fl	Fallsington loam-----	339	0.1
Fs	Fallsington sandy loam-----	1,613	0.5
Fu	Fallsington-urban land complex-----	151	*
GaB	Galestown gravelly loamy sand, 0 to 8 percent slopes-----	2,015	0.6
GaC	Galestown gravelly loamy sand, 8 to 15 percent slopes-----	1,060	0.3
GdB	Galestown loamy sand, 0 to 8 percent slopes-----	1,879	0.6
GdC	Galestown loamy sand, 8 to 15 percent slopes-----	306	*
GeB	Galestown-evesboro loamy sands, 0 to 8 percent slopes-----	2,182	0.7
GeC	Galestown-evesboro loamy sands, 8 to 15 percent slopes-----	849	0.3
GmB	Galestown-urban land complex, 0 to 8 percent slopes-----	316	*
GmC	Galestown-urban land complex, 8 to 15 percent slopes-----	186	*
GnC2	Glenelg loam, 8 to 15 percent slopes, moderately eroded-----	157	*
GoB	Glenelg-urban land complex, 0 to 8 percent slopes-----	220	*
Gp	Gravel and borrow pits-----	2,790	0.9
Ha	Hatboro silt loam-----	1,239	0.4
HcC3	Howell clay loam, 6 to 12 percent slopes, severely eroded-----	367	0.1
HcD3	Howell clay loam, 12 to 20 percent slopes, severely eroded-----	245	*
HoB2	Howell fine sandy loam, 2 to 6 percent slopes, moderately eroded-----	131	*
HoC2	Howell fine sandy loam, 6 to 12 percent slopes, moderately eroded-----	145	*
HwB2	Howell silt loam, 0 to 6 percent slopes, moderately eroded-----	263	*
HwC2	Howell silt loam, 6 to 12 percent slopes, moderately eroded-----	190	*
HwD2	Howell silt loam, 12 to 20 percent slopes, moderately eroded-----	200	*
HwE2	Howell silt loam, 20 to 35 percent slopes, moderately eroded-----	213	*
Hy	Hyde silt loam-----	180	*
Ik	Iuka fine sandy loam-----	424	0.1
ImA	Iuka sandy loam, local alluvium, 0 to 2 percent slopes-----	414	0.1
ImB	Iuka sandy loam, local alluvium, 2 to 5 percent slopes-----	735	0.2
In	Iuka silt loam-----	210	*
IoA	Iuka silt loam, local alluvium, 0 to 2 percent slopes-----	818	0.3
IoB	Iuka silt loam, local alluvium, 2 to 5 percent-----	744	0.2
Iu	Iuka-urban land complex-----	106	*
Ix	Iuka-urban land complex, local alluvium-----	492	0.2
Jo	Johnston silt loam-----	574	0.2
Ju	Johnston-urban land complex-----	120	*
KeA	Keyport fine sandy loam, 0 to 2 percent slopes-----	340	0.1
KeB2	Keyport fine sandy loam, 2 to 5 percent slopes, moderately eroded-----	731	0.2
KeC2	Keyport fine sandy loam, 5 to 10 percent slopes, moderately eroded-----	340	0.1
KpA	Keyport silt loam, 0 to 2 percent slopes-----	1,434	0.4
KpB2	Keyport silt loam, 2 to 5 percent slopes moderately eroded-----	2,340	0.7

See footnote at end of table.

Table A.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol	Soil name	Acres	Percent
KpC2	Keyport silt loam, 5 to 15 percent slopes, moderately eroded-----	286	*
KrC3	Keyport silty clay loam, 5 to 10 percent slopes, severely eroded-----	118	*
KuB	Keyport-urban land complex, 0 to 10 percent slopes-----	419	0.1
Ky	Klej loamy sand-----	111	*
LeA	Leonardtown silt loam, 0 to 2 percent slopes-----	4,466	1.4
LeB	Leonardtown silt loam, 2 to 5 percent slopes-----	1,495	0.5
Ma	Made land-----	1,104	0.3
MfB2	Magnolia fine sandy loam, 2 to 5 percent slopes moderately eroded-----	108	*
MgB2	Magnolia silt loam, 2 to 5 percent slopes, moderately eroded-----	170	*
MgC2	Magnolia silt loam, 5 to 10 percent slopes moderately eroded-----	71	*
MhB2	Manor loam, 3 to 8 percent slopes, moderately eroded-----	62	*
MhC2	Manor loam, 8 to 15 percent slopes, moderately eroded-----	116	*
MhD2	Manor loam, 15 to 25 percent slopes, moderately eroded-----	216	*
MhF2	Manor loam, 25 to 60 percent slopes, moderately eroded-----	442	0.1
MkC	Manor-urban land complex, 8 to 15 percent slopes-----	479	0.1
MlA	Marr fine sandy loam, 0 to 2 percent slopes-----	209	*
MlB2	Marr fine sandy loam, 2 to 6 percent slopes, moderately eroded-----	2,108	0.7
MlB3	Marr fine sandy loam, 2 to 6 percent slopes, severely eroded-----	109	*
MlC2	Marr fine sandy loam, 6 to 12 percent slopes, moderately eroded-----	422	0.1
MlC3	Marr fine sandy loam, 6 to 12 percent slopes, severely eroded-----	1,659	0.5
MlD3	Marr fine sandy loam, 12 to 20 percent slopes, severely eroded-----	892	0.3
MlE	Marr fine sandy loam, 20 to 35 percent slopes-----	228	*
MmA	Matapeake fine sandy loam, 0 to 2 percent slopes-----	414	0.1
MmB2	Matapeake fine sandy loam, 2 to 5 percent slopes, moderately eroded-----	299	*
MnA	Matapeake silt loam, 0 to 2 percent slopes-----	775	0.2
MnB2	Matapeake silt loam, 2 to 5 percent slopes, moderately eroded-----	1,548	0.5
MnC2	Matapeake silt loam, 5 to 10 percent slopes, moderately eroded-----	909	0.3
MnC3	Matapeake silt loam, 5 to 10 percent slopes, severely eroded-----	465	0.1
MnD2	Matapeake silt loam, 10 to 15 percent slopes, moderately eroded-----	518	0.2
MoB2	Matapeake silt loam, silty substratum, 2 to 5 percent slopes, moderately eroded-----	354	0.1
MpB	Matapeake-urban land complex, 0 to 5 percent slopes-----	152	*
MpC	Matapeake-urban land complex, 5 to 15 percent slopes-----	155	*
MrA	Matawan fine sandy loam, 0 to 2 percent slopes-----	194	*
MrB2	Matawan fine sandy loam, 2 to 5 percent slopes, moderately eroded-----	198	*
MrC2	Matawan fine sandy loam, 5 to 10 percent slopes, moderately eroded-----	128	*
MsA	Matawan loamy sand, 0 to 2 percent slopes-----	438	0.1
MsB	Matawan loamy sand, 2 to 5 percent slopes-----	187	*
MtA	Mattapex fine sandy loam, 0 to 2 percent slopes-----	476	0.1
MtB2	Mattapex fine sandy loam, 2 to 5 percent slopes, moderately eroded-----	660	0.2
MuA	Mattapex silt loam, 0 to 2 percent slopes-----	644	0.2
MuB2	Mattapex silt loam, 2 to 5 percent slopes, moderately eroded-----	858	0.3
MvB	Mattapex-urban land complex, 0 to 5 percent slopes-----	218	*
Mw	Mixed alluvial land-----	3,129	1.0
MxC3	Monmouth clay loam, 5 to 10 percent slopes, severely eroded-----	470	0.1
MxD3	Monmouth clay loam, 10 to 30 percent slopes, severely eroded-----	355	0.1
MyA	Monmouth fine sandy loam, 0 to 2 percent slopes-----	321	0.1
MyB2	Monmouth fine sandy loam, 2 to 5 percent slopes, moderately eroded-----	1,919	0.6
MyC2	Monmouth fine sandy loam, 5 to 10 percent slopes moderately eroded-----	578	0.2
MyD2	Monmouth fine sandy loam, 10 to 15 percent moderately eroded-----	94	*
MzB2	Muirkirk loamy sand, 0 to 5 percent slopes, moderately eroded-----	338	0.1
MzC2	Muirkirk loamy sand, 5 to 10 percent slopes, moderately eroded-----	240	*
OcA	Ochlockonee sandy loam, local alluvium, 0 to 2 percent slopes-----	772	0.2
OcB	Ochlockonee sandy loam, local alluvium, 2 to 5 percent slopes-----	1,477	0.5
OcC	Ochlockonee sandy loam, local alluvium, 5 to 10 percent slopes-----	360	0.1
OhA	Ochlockonee silt loam, local alluvium, 0 to 2 percent slopes-----	118	*
OhB	Ochlockonee silt loam, local alluvium 2 to 5 percent slopes-----	270	*
Ok	Ochlockonee, local alluvium-urban land complex-----	110	*
Ol	Othello fine sandy loam-----	451	0.1
Ot	Othello silt loam-----	990	0.3
Pr	Plummer and rutlege loamy sands-----	128	*
RdA	Rumford loamy sand, 0 to 2 percent slopes-----	620	0.2
RdB2	Rumford loamy sand, 2 to 5 percent slopes, moderately eroded-----	1,775	0.6

See footnote at end of table.

Table A.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol	Soil name	Acres	Percent
RdC2	Rumford loamy sand, 5 to 10 percent slopes, moderately eroded-----	731	0.2
RdC3	Rumford loamy sand, 5 to 10 percent slopes, severely eroded-----	175	*
RdD2	Rumford loamy sand, 10 to 15 percent slopes, moderately eroded-----	207	*
ReB	Rumford-evesboro loamy sands, 2 to 6 percent slopes-----	117	*
ReC	Rumford-evesboro loamy sands, 6 to 12 percent slopes-----	567	0.2
ReD	Rumford-evesboro loamy sands, 12 to 20 percent slopes-----	333	0.1
SaE	Sandy land, steep-----	12,670	4.0
ScB	Sandy and clayey land, gently sloping-----	825	0.3
ScC	Sandy and clayey land, sloping-----	1,235	0.4
ScD	Sandy and clayey land, moderately steep-----	1,016	0.3
SfB2	Sassafras gravelly loam, 2 to 5 percent slopes, moderately eroded-----	321	0.1
SfC2	Sassafras gravelly loam, 5 to 10 percent slopes, moderately eroded-----	560	0.2
SfD2	Sassafras gravelly loam, 10 to 15 percent slopes, moderately eroded-----	565	0.2
SgB2	Sassafras gravelly sandy loam, 2 to 5 percent slopes, moderately eroded--	1,380	0.4
SgC2	Sassafras gravelly sand loam, 5 to 10 percent slopes, moderately eroded--	1,270	0.4
SgC3	Sassafras gravelly sandy loam, 5 to 10 percent, slopes, moderately eroded	1,568	0.5
SgD2	Sassafras gravelly sandy loam, 10 to 15 percent slopes, moderately eroded	2,432	0.8
SgD3	Sassafras gravelly sandy loam, 10 to 15 percent slopes, severely eroded--	3,065	1.0
SgE	Sassafras gravelly sandy loam, 15 to 30 percent slopes-----	5,657	1.8
ShA	Sassafras sandy loam, 0 to 2 percent slopes-----	1,886	0.6
ShB2	Sassafras sandy loam, 2 to 5 percent slopes, moderately eroded-----	5,963	1.9
ShC2	Sassafras sandy loam, 5 to 10 percent slopes, moderately eroded-----	2,217	0.7
ShC3	Sassafras sandy loam, 5 to 10 percent slopes, severely eroded-----	1,618	0.5
SkB	Sassafras-urban land complex, 0 to 5 percent slopes-----	1,329	0.4
SkC	Sassafras-urban land complex, 5 to 15 percent slopes-----	1,256	0.4
SkE	Sassafras-urban land complex, 15 to 30 percent slopes-----	276	*
SlD	Sassafras-collington-aura gravelly sandy loams, 12 to 20 percent slopes--	182	*
SlE	Sassafras-collington-aura gravelly sandy loams, 20 to 35 percent slopes--	903	0.3
SmA	Shrewsbury fine sandy loam, 0 to 2 percent slopes-----	2,060	0.6
SmB	Shrewsbury fine sandy loam, 2 to 5 percent slopes-----	641	0.2
SnA	Shrewsbury silt loam, 0 to 2 percent slopes-----	487	0.2
So	Shrewsbury-urban land complex-----	163	*
SpB	Silty and clayey land, gently sloping-----	931	0.3
SpC	Silty and clayey land, sloping-----	1,495	0.5
SpE	Silty and clayey land, steep-----	820	0.3
StB2	Sunnyside fine sandy loam, 0 to 5 percent slopes, moderately eroded-----	1,821	0.6
StC2	Sunnyside fine sandy loam, 5 to 10 percent slopes, moderately eroded-----	1,930	0.6
StD2	Sunnyside fine sandy loam, 10 to 15 percent slopes, moderately eroded----	807	0.3
StE	Sunnyside fine sandy loam, 15 to 30 percent slopes-----	283	*
SuB2	Sunnyside loam, 0 to 5 percent slopes, moderately eroded-----	362	0.1
SuC2	Sunnyside loam, 5 to 10 percent slopes, moderately eroded-----	307	*
SuD2	Sunnyside loam, 10 to 15 percent slopes, moderately eroded-----	66	*
SvC3	Sunnyside sandy clay loam, 5 to 10 percent slopes, severely eroded-----	595	0.2
SvD3	Sunnyside sandy clay loam, 10 to 15 percent slopes, severely eroded-----	295	*
SwB	Sunnyside-urban land complex, 0 to 5 percent slopes-----	1,054	0.3
SwC	Sunnyside-urban land complex, 5 to 10 percent slopes-----	2,232	0.7
Sx	Swamp-----	1,204	0.4
Tm	Tidal marsh-----	2,790	0.9
WaA	Westphalia fine sandy loam, 0 to 2 percent slopes-----	142	*
WaB2	Westphalia fine sandy loam, 2 to 6 percent slopes, moderately eroded----	4,309	1.3
WaB3	Westphalia fine sandy loam, 2 to 6 percent slopes, severely eroded-----	186	*
WaC2	Westphalia fine sandy loam, 6 to 12 percent slopes, moderately eroded----	0	*
WaC3	Westphalia fine sandy loam, 6 to 12 percent slopes, severely eroded-----	4,233	1.3
WaD2	Westphalia fine sandy loam, 12 to 20 percent slopes, moderately eroded---	1,861	0.6
WaD3	Westphalia fine sandy loam, 12 to 20 percent slopes, severely eroded-----	6,196	1.9
WbB2	Westphalia very fine sandy loam, 0 to 6 percent slopes, moderately eroded	658	0.2
WbC2	Westphalia very fine sandy loam, 6 to 12 percent slopes, moderately eroded-----	601	0.2
WbD2	Westphalia very fine sandy loam, 12 to 20 percent slope s, moderately eroded-----	421	0.1
WeB2	Westphalia-evesboro complex, 2 to 6 percent slopes, moderately eroded----	1,156	0.4
WeC2	Westphalia-evesboro complex, 6 to 12 percent slopes, moderately eroded---	940	0.3
WeC3	Westphalia-evesboro complex, 6 to 12 percent slopes, severely eroded-----	2,522	0.8

See footnote at end of table.

Table A.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol	Soil name	Acres	Percent
WeD3	Westphalia-evesboro complex, 12 to 20 percent slopes, severely eroded----	4,393	1.4
WoA	Woodstown sandy loam, 0 to 2 percent slopes-----	961	0.3
WoB2	Woodstown sandy loam, 2 to 5 percent slopes, moderately eroded-----	958	0.3
WoC2	Woodstown sandy loam, 5 to 10 percent slopes, moderately eroded-----	100	*
Wu	Woodstown-urban land complex-----	413	0.1
ZZ900	Paved areas-----	989	0.3
	Total-----	302,077	94.5

\* Less than 0.1 percent.

